



PCT/EP200 4 / 0 5 0 4 4 3



03.06.2004

INVESTOR IN PEOPLE

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

REC'D 18 JUN 2004

WIPO


PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Stephen Hardy

Dated 3 February 2004

BEST AVAILABLE COPY

Patents Form 1/77

Patents Act 1977
(Rule 16)THE PATENT OFFICE
RM

14 APR 2003

The
Patent
Office14APR03 E799862-1 D00866
P01/7700 0.00-0308487.8

1/77

Request for grant of a patent
(See the notes on the back of this form. You can also
get an explanatory leaflet from the Patent Office to
help you fill in this form)The Patent Office
Cardiff Road
Newport
Gwent NP9 1RH1. Your reference **GB Case PP/3-22342/P1**2. Patent application number
(The Patent Office will fill in this part)**0308487.8**3. Full name, address and postcode of the
or of each applicant
(underline all surnames)**Ciba Specialty Chemicals Water Treatments Limited
Cleckheaton Road
Low Moor
Bradford
West Yorkshire
BD12 0JZ**

Patent ADP number (if you know it)

If the applicant is a corporate body, give
the country/state of its incorporation**England****8610206001**

4. Title of invention

PAPER COATING COMPOSITIONS

5. Name of your agent (if you have one)

"Address for service" in the United
Kingdom to which all correspondence
should be sent
(including the postcode)**Ciba Specialty Chemicals Water Treatments Limited
Patents Department
PO Box 38
Cleckheaton Road
Low Moor
Bradford
West Yorkshire
BD12 0JZ**

Patents ADP number (if you know it)

86102060076. If you are declaring priority from one
or more earlier patent applications,
give
the country and the date of filing of the
or of each of these earlier applications
and (if you know it) the or each
application number

Country

Priority application number
(if you know it)Date of filing
(day/month/year)7. If this application is divided or
otherwise derived from an earlier UK
application, give the number and the
filing date of the earlier applicationNumber of earlier
applicationDate of filing
(day/month/year)8. Is a statement of inventorship and of
right to grant of a patent required in
support of this request? (Answer 'Yes' if**YES**a) any applicant named in part 3 is not an
inventor, orb) there is an inventor who is not named as
an applicant, or

c) any named applicant is a corporate body.

(see note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form -

Description 3

Claim(s) 1

Abstract 1

Drawing(s) -

10. If you are also filing any of the following, state how many against each item.

Priority documents -

Translations of priority documents -

Statement of inventors and right to grant of a patent (Patents Form 7/77) -

Request for preliminary examination and search (Patents Form 8/77) 1

Request for substantive examination (Patents Form 10/77) -

Any other documents (please specify) -

11. I/We request the grant of a patent on the basis of this application

Signature

Date



14 April 2003

12. Name and daytime telephone number of person to contact in the United Kingdom

Jane Spinks

01274 417558

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) *If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.*
- b) *Write your answers in capital letters using black ink or you may type them.*
- c) *If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.*
- d) *Once you have filled in the form you must remember to sign and date it.*
- e) *For details of the fee and ways to pay please contact the Patent Office.*

Paper coating Compositions.

DUPLICATE

This invention relates to the use of binders in paper coating compositions and more particularly the use of binders to control bleed fastness of organic pigments applied to paper.

WO 98/39514 describes a paper coating method in which a coating composition includes a binder wherein the binder comprises a stable aqueous dispersion of a water insoluble component and a water soluble component. The water insoluble component comprises coalescable polymer particles which have a T_g less than 55°C and a majority of which have a particle size less than 1 micron; and the water soluble component comprises a water soluble polymer capable of inhibiting coalescence of said polymer particles, or a water soluble polymer and a component capable of inhibiting coalescence of said polymer particles; and wherein said water insoluble component comprises greater than 3% and less than 75% by weight of the binder solids and said water soluble component comprises greater than 25% and less than 97% of said binder solids. The purpose of this method is to provide improved crack at the fold properties for medium weight and heavy weight papers coated in a size press apparatus without adversely affecting other important properties or productivity of the papermaking process.

The aforesaid method, insofar as it is proposed for use with pigments is only concerned with inorganic pigments. It does not propose the use of inorganic pigments nor the problems of bleeding that arise with organic pigments that is to say colourants for surface colouration of paper. This problem is addressed by the present invention.

According to the invention there is provided a method of controlling the bleed fastness of organic pigments in paper coating compositions characterised in that the paper coating composition includes a binder of the kind defined above. In most cases the use of the aforesaid binder considerably improves the bleed fastness compared to coatings where the binder is omitted.

Preferably the amount of binder included in the pigment paste is in the range 1.0 to 20.0 % by weight, and more preferably 2.0 to 10.0 % by weight, based on the total weight of the paste. The precise amount of binder to be used may need to be adjusted for different pigments in order to obtain optimum bleed fastness.

The invention also provides for the use of binders as defined above in the method according to the invention.

The following Example further illustrates the invention.

Example

Size press baths were prepared, with each bath consisting of 100 grams total, of which 50 grams was a 10% solution of an oxidised farina starch.

After additions of starch, colour and binder ("Pensize" 730 commercially available from Penford Corporation of Bellevue, WA, USA), the total was made up to 100 grams with water.

Each bath was added, in turn, to a Werner Mathis size press, and a sample of white base paper passed through to produce a coloured sheet

The base paper, consisted of:

70% Bleached Hardwood Kraft
30% Bleached Softwood Kraft

Loading 10% retained clay plus 1% retained chalk

Sizing 0.5% Pseudo neutral size (Hercat 27JP4)

This base paper was prepared on the pilot paper machine at The University of Manchester Institute of Science and Technology

Each size pressing was checked for wet pick up (which varied from product to product, but generally speaking was found to be in the region of 40%, giving approximately 2% Pensize 730 on weight of paper) and dried in an infra red dryer for the minimum time required to give complete drying.

Ref	Irgalite	Grams Pensize 730	Grams color	Bleed Fastness
1	Yellow G-L	0	8.2	4
2		5	9.0	5
3	Yellow G-F	0	4.6	3-4/4
4		5	5.0	5
5	Yellow 2R-L	0	3.2	3-4
6		5	3.5	5
7	Red G-L	0	7.2	3-4
8		5	10.6	4-5
9	Red BF-L	0	16.0	3/3-4
10		5	17.0	5
11	Red 3B	0	20	2
12		5	22	2-3
13	Violet B-L	0	6.6	3
14		5	7.0	4-5
15	Violet M	0	6.2	2-3
16		5	6.8	3
17	Blue R-L	0	8.2	4
18		5	9.0	5
19	Green 2G	0	8.0	3-4
20		5	8.8	4-5/5
21	Green G-L	0	7.2	5
22		5	8.0	5
23	Black 2B-LN	0	2.2	5
24		5	5.0	5

The bleed fastness indicated in the above table was assessed by placing samples of coloured paper between white blotters soaked in de-ionised water. These blotters were placed between glass plates and the whole wrapped in cling film. A 1 kilogram weight was placed on the top of the glass plates, and the whole left for 24 hours.

After 24 hours, the blotting paper was air-dried and when dry, assessed for bleed using the standard grey scale, ref ISO 105-A03 1993.

This scale is a range of grey coated shades increasing in intensity. Each sample is placed adjacent to a white coated sample, such that increases in contrast are obtained. The scale itself goes from 5, where no contrast is seen (in effect 2 white coated samples) down to 1 where a considerable contrast is observed. The bleed from the colored sample is compared to this scale, and the contrast in the grey/white which most closely concurs with the contrast in the white blotter/bleed is taken as the bleed fastness rating for a piece of paper. The grey scale is prepared with "half units" e.g. 1-2, 2-3, 3-4, 4-5, and some assessments contain further subdivisions to distinguish between samples, e.g. 3-4/4

Quite clearly, the inclusion of Pensize 730 into the dye bath formulation has had an improvement on all samples where bleed was seen where the binder was omitted.

Claims.

- 1.** A method of controlling the bleed fastness of organic pigments in paper coating compositions characterised in that the paper coating composition comprises a binder wherein the binder comprises a stable aqueous dispersion of a water insoluble component and a water soluble component. The water insoluble component comprises coalescable polymer particles which have a T_g less than 55°C and a majority of which have a particle size less than 1 micron; and the water soluble component comprises a water soluble polymer capable of inhibiting coalescence of said polymer particles, or a water soluble polymer and a component capable of inhibiting coalescence of said polymer particles; and wherein said water insoluble component comprises greater than 3% and less than 75% by weight of the binder solids and said water soluble component comprises greater than 25% and less than 97% of said binder solids.
- 2.** A method as claimed in claim 1, wherein the binder is present in an amount of from 1.0 to 20.0% by weight based on the weight of the composition.
- 3.** Use of a binder to control bleed fastness of organic pigment in a paper coating composition characterised in that the binder comprises a stable aqueous dispersion of a water insoluble component and a water soluble component wherein the water insoluble component comprises coalescable polymer particles which have a T_g less than 55°C and a majority of which have a particle size less than 1 micron; and the water soluble component comprises a water soluble polymer capable of inhibiting coalescence of said polymer particles, or a water soluble polymer and a component capable of inhibiting coalescence of said polymer particles; and wherein said water insoluble component comprises greater than 3% and less than 75% by weight of the binder solids and said water soluble component comprises greater than 25% and less than 97% of said binder solids.
- 4.** Use as claimed in claim 3, wherein the binder is present in an amount of from 1.0 to 20.0% by weight based on the weight of the composition.
- 5.** Paper coloured by the method as claimed in claim 1 or claim 2.

Abstract**Paper coating compositions.**

The control of paper of bleed fastness of organic pigments in paper coating compositions wherein a binder is included in the composition, said binder comprising a stable aqueous dispersion of a water insoluble component and a water soluble component wherein the water insoluble component comprises coalescable polymer particles which have a T_g less than 55°C and a majority of which have a particle size less than 1 micron; and the water soluble component comprises a water soluble polymer capable of inhibiting coalescence of said polymer particles, or a water soluble polymer and a component capable of inhibiting coalescence of said polymer particles; and wherein said water insoluble component comprises greater than 3% and less than 75% by weight of the binder solids and said water soluble component comprises greater than 25% and less than 97% of said binder solids.

PCT/EP2004/050443



This Page is inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ BLACK BORDERS
- ☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLORED OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REPERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images
problems checked, please do not report the
problems to the IFW Image Problem Mailbox**